


# Using Parameters in Procedures

## What Will I Learn?

In this lesson, you will learn to:

- Describe how parameters contribute to a procedure
- Define a parameter
- Create a procedure using a parameter
- Invoke a procedure that has parameters
- Differentiate between formal and actual parameters






## Why Learn It?

To make procedures more flexible, it is important that varying data is either calculated or passed into a procedure by using input parameters. Calculated results can be returned to the caller of a procedure by using `OUT` or `IN OUT` parameters.



## Tell Me / Show Me




### What Are Parameters?

Parameters pass or communicate data between the caller and the subprogram.

You can think of parameters as a special form of a variable, whose input values are initialized by the calling environment when the subprogram is called, and whose output values are returned to the calling environment when the subprogram returns control to the caller.


By convention, parameters are often named with a “p\_” prefix.



## Tell Me / Show Me

### What Are Parameters? (continued)

Consider the following example where a math teacher needs to change a student's grade from a C to a B in the student administration system.




In this example, the calling system is passing values for student id, class id, and grade to a subprogram.

Do you need to know the old (before) value for the grade?  
Why or why not?

## Tell Me / Show Me

### What Are Parameters? (continued)

The `change_grade` procedure accepts three parameters: `p_student_id`, `p_class_id`, and `p_grade`. These parameters act like local variables in the `change_grade` procedure.



```
PROCEDURE change_grade (p_student_id IN NUMBER,  
p_class_id IN NUMBER, p_grade IN VARCHAR2) IS  
BEGIN  
...  
    UPDATE grade_table SET grade= B  
        WHERE student_id= 1023 AND class_id= 543;  
...  
END;
```

## Tell Me / Show Me

### What Are Arguments?

Parameters are commonly referred to as arguments. However, arguments are more appropriately thought of as the actual values assigned to the parameter variables when the subprogram is called at runtime.

In the previous example, 1023 is an argument passed in to the `p_student_id` parameter.

Student id is 1023	1023
The math class id is 543	543
The new grade is B	B

Even though parameters are a kind of variable, IN parameter arguments act as constants and cannot be changed by the subprogram.



## Tell Me / Show Me

### Creating Procedures with Parameters

The example shows a procedure with two parameters. Running this first statement creates the `raise_salary` procedure in the database. The second example executes the procedure, passing the arguments 176 and 10 to the two parameters.

```
CREATE OR REPLACE PROCEDURE raise_salary
(p_id      IN my_employees.employee_id%TYPE,
 p_percent IN NUMBER)
IS
BEGIN
    UPDATE my_employees
        SET      salary = salary * (1 + p_percent/100)
        WHERE    employee_id = p_id;
END raise_salary;
```

```
BEGIN raise_salary(176,10); END;
```





## Tell Me / Show Me

### Invoking Procedures with Parameters

To invoke a procedure from Oracle Application Express, create an anonymous block and use a direct call inside the executable section of the block. Where you want to call the new procedure, enter the procedure name and parameter values (arguments). For example:

```
BEGIN  
  raise_salary (176, 10);  
END;
```

You must enter the arguments in the same order as they are declared in the procedure.



## Tell Me / Show Me

### Invoking Procedures with Parameters

To invoke a procedure from another procedure, use a direct call inside an executable section of the block. At the location of calling the new procedure, enter the procedure name and parameter arguments.

```
CREATE OR REPLACE PROCEDURE process_employees
IS
    CURSOR emp_cursor IS
        SELECT employee_id
            FROM    my_employees;
BEGIN
    FOR v_emp_rec IN emp_cursor
    LOOP
        raise_salary(v_emp_rec.employee_id, 10);
    END LOOP;
    COMMIT;
END process_employees;
```



## Tell Me / Show Me

### Types of Parameters

There are two types of parameters: Formal and Actual.

A parameter-name declared in the procedure heading is called a formal parameter. The corresponding parameter-name (or value) in the calling environment is called an actual parameter.

In the following example, can you guess which parameter is the formal parameter and which parameter is the actual parameter?

```
CREATE OR REPLACE PROCEDURE fetch_emp
  (p_emp_id IN employees.employee_id%TYPE) IS ...
END;

/* Now call the procedure from an anonymous block */
BEGIN      fetch_emp(v_emp_id);      END;
```



## Tell Me / Show Me

### Formal Parameters

Formal parameters are variables that are declared in the parameter list of a subprogram specification. In the following example, in the procedure `raise_sal`, the identifiers `p_id` and `p_sal` represent formal parameters.

```
CREATE PROCEDURE raise_sal(p_id IN NUMBER, p_sal IN  
NUMBER) IS  
BEGIN ...  
END raise_sal;
```

Notice that the formal parameter datatypes do not have sizes. For instance `p_sal` is `NUMBER`, not `NUMBER(6,2)`.



## Tell Me / Show Me

### Actual Parameters

Actual parameters can be literal values, variables, or expressions that are provided in the parameter list of a called subprogram. In the following example, a call is made to `raise_sal`, where the `a_emp_id` variable is the actual parameter for the `p_id` formal parameter, and 100 is the argument (the actual passed value).

```
a_emp_id := 100;  
raise_sal(a_emp_id, 2000);
```

Actual parameters:

- Are associated with formal parameters during the subprogram call
- Can also be expressions, as in the following example:  
`raise_sal(a_emp_id, v_raise+100);`



## Tell Me / Show Me

### Formal and Actual Parameters

The formal and actual parameters should be of compatible data types. If necessary, before assigning the value, PL/SQL converts the data type of the actual parameter value to that of the formal parameter.

For instance, you can pass in a salary of '1000.00' in single quotes, so it is coming in as the *letter* 1 and the *letters* zero etc., which gets converted into the *number* one thousand. This is slower and should be avoided if possible.

You can find out the datatypes that are expected by using the command `DESCRIBE proc_name`.

## Tell Me / Show Me


### Terminology

Key terms used in this lesson include:

Parameters

Formal parameter


Actual parameter



## Summary

In this lesson, you learned to:

- Describe how parameters contribute to a procedure
- Define a parameter
- Create a procedure using a parameter
- Invoke a procedure that has parameters
- Differentiate between formal and actual parameters







## Try It / Solve It

The exercises in this lesson cover the following topics:

- Defining what parameters are and why they are needed
- Creating a procedure with parameters
- Invoking a procedure that has parameters
- Differentiating between formal and actual parameters

